









The advanced design of the **SimpliPHI**^{**} **6 kW Hybrid Inverter** offers versatile applications that seamlessly integrate solar, generator and/or grid power in both AC and DC coupled configurations — on-grid or off. This smart hybrid inverter with integrated MPPT can also be easily paired to work with the SimpliPHI 4.9 kWh battery to provide an efficient, easy-to-use energy storage system for any home or business that can allow for Time-of-Use applications, peak demand shaving, backup power and peace of mind. In addition, the SimpliPHI Hybrid Inverter can be paired with other SimpliPHI batteries and those on the Approved Battery List.

FEATURES



Scalable for any application Scale up to 9 inverters for a total of 54 kW of power.



Off-grid and grid-connected systems

Simple installation for both AC coupled retrofit and new DC coupled systems.





for both indoor or outdoor installations.



Warranty coverage



Seamless transition

Less than 8 milliseconds of switchover time protects sensitive electronics and minimizes downtime.



Simple digital interface

Easy programming and monitoring of primary system functions on the LCD inverter interface.



EnergyTrak[™] enabled

Remote monitoring and quick 5-step system commissioning.



Inverter Specifications		
Model Number	SPHI-IN-6	
Battery Input Voltage	48VDC	
Safety Features	Rapid shutdown, Arc fault protection, PV reverse polarity protection, Ground fault monitoring, Residual current monitoring, Insulation resistor detection, Overcurrent protection, Short circuit protection	
Rapid Shutdown Capable	Integrated Transmitter	
Maximum Paired Solar (DC Input)	7.5 kW	
Integrated MPPT Charge Controllers	2 inputs with 2 strings each	
Loads Supported	120/240VAC	
Maximum Continuous Power	6,000 VA	
Maximum Output Power	6 kW	
Instantaneous Power (100ms)	12,000 VA	
Surge Power (5s)	9,000 VA	

20.28 x 27.55 x 8.50 in (515 x 700 x 216 mm) 86 lb (39 kg)

20.07 x 14.9 x 1.2 in (510mm x 379mm x 31mm)



Inverter Specifications				
CEC Weighted Efficiency	96.5%			
Parallel Stacking	9 Inverters			
Warranty Period	10-Year Limited Warranty ¹			
Battery Compatibility	Lithium-ready			
Automatic Generator Start	Included			
Monitoring	Briggs & Stratton EnergyTrak			
Certifications	UL 1741 SA, IEEE 15471-2020, IEC/EN 62109-1&2, EN 61000-6-2&3, EN 61000-3-11&12			


pplications

Residential Grid-Tied TOU / Peak Shaving				
Residential Grid-Tied Backup				
Residential Grid-Tied Net Zero (solar and battery is primary)				
Batteryless Operation- Residential Grid-Tied PV				
Residential Off-Grid				
Small Business / Commercial	Single and Split Phase: 120/240			

gle	and	Split	Phase
	120	/240	

1.2 in (31 mm)

14.9 in (379 mm)




Product Dimensions

Dimensions (W x H x D)

Back Panel Dimensions (W x H x D)

Weight

¹ Visit www.BRIGGSandSTRATTON.com for user manuals and full warranty details. All specifications listed are typical/nominal and subject to change without notice.



BRIGGS & STRATTON POST OFFICE BOX 702 MILWAUKEE, WI 53201 USA

Engineered in California, USA. Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. Please visit BRIGGSandSTRATTON.com for the latest information. BS1384 - 12/22